



MOTOROLA

MSRP

Page Updated: 28-Nov-07
 Product Available: 14-Jan-08
 Price Effective: 21-May-07

RDV5100

RDX Series™



FEATURES

- Up to 5W Power (2W low power setting)
- 10 Channels, Pre-Programmed to 10 Channel/Code Combinations
- 39 Analog and 83 Digital Interference Eliminator Codes
- 18.5 Hrs Battery Life (5W, 5/5/90, Battery Save Enabled)
- Designed to IP-55 and MIL-SPEC Specifications
- 3 Voice-Inversion Scramble Settings to Minimize Eavesdropping
- Channel Scan with Selectable Scan List
- 3 Audible Call Tones
- Two (2) Programmable Buttons
- 2 Pin Accessory Plug (Compatible With XTN/CLS Series)
- VOX (Hands-Free Use With Accessories) With 3 Sensitivity Levels
- Tri-color LED with Transmit, Receive, and Low Battery Indication
- Auto Scan
- Direct Frequency input programmable
- Bandwidth: 146-174 Mhz

Accessories included

- 2400 mAh Li Ion Rechargeable Battery
- 12-Hour Drop-In Charging Tray w/ Wall Adaptor
- Spring Belt Clip
- User's Guide
- Safety Leaflet
- Warranty Card

VHF Position	Freq. (MHz)	VHF Position	Freq. (MHz)	VHF Position	Freq. (MHz)	VHF Position	Freq. (MHz)
1	151.6250	8	151.8350	15	151.7750	22	154.5275
2	151.9550	9	151.8050	16	151.8650	23	154.5400
3	152.8850	10	151.5130	17	151.8950	24	153.0050
4	152.9150	11	151.6550	18	151.9250	25	154.6550
5	151.7000	12	151.6850	19	152.7000	26	158.4000
6	151.7600	13	151.7150	20	154.4900	27	158.4075
7	152.9450	14	151.7450	21	154.5150		

Default frequencies fully compatible with AX Series

Note: Refer to User's Guide for more detail. New users must license frequencies.

Country of Origin	Product Dimensions	Unit Weight	Individual Product Box Dimensions	Packaged Weight	Quantity in Overpack	Overpack Box Dimensions	Total Overpack Weight
Malaysia	4.5 x 2.2 x 1.8	0.64	13.4 x 7.1 x 2.6	2.14	6	15.2 x 8.7 x 14.2	14.5

+ All dimensions are in inches (HxWxD) and lbs.

RDV5100

DESCRIPTION	CHANNELS	MODEL NUMBER	UPC CODE	MSRP
RDV5100	10	RV5100BKN9AA	7 23755 54028 6	\$325.00

Please contact your Motorola Account Manager for the current Motorola Minimum Advertised Price (MAP) policy